

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 51]

NEW DELHI, SATURDAY, DECEMBER 24, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 26th November, 1955

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) AND PART (C)								Assam							
Ajmer								Goalpara . . .							
TOTAL . . .								Kamrup . . .							
(Estd. mid-year pop. 741 thousands.)								TOTAL 29 16							
Total for w/c 19-11-55 . . .								(Estd. mid-year pop. 9,672 thousands.)							
Total for w/c 12-11-55 . . .								Total for w/c 19-11-55 . . .							
7-yearly mean for the week . . .								Total for w/c 12-11-55 . . .							
Andhra								7-yearly mean for the week . . .							
Godavari East . . .								Bhopal							
Godavari West . . .								"N. R."							
Guntur . . .								Bihar							
Nellore . . .								Patna . . .							
Kurnool . . .								Gaya . . .							
Guddapah . . .								Darbhanga . . .							
Anantapur . . .								Manbhum . . .							
Chittoor . . .								TOTAL . . .							
TOTAL 106 54 34 4								(Estd. mid-year pop. 41,828 thousands.)							
(Estd. mid-year pop. 21,013 thousands.)								Total for w/c 19-11-55 . . .							
Total for w/c 19-11-55 . . .								Total for w/c 12-11-55 . . .							
Total for w/c 12-11-55 . . .								7-yearly mean for the week . . .							
7-yearly mean for the week . . .								7-yearly mean for the week . . .							

Explanation of symbols used; C.=Cases; D.=Deaths; ..=Nil; "N.R".=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 26th November, 1955—*contd.*

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.				C.				D.				C.				D.				C.				D.			
Bombay																Himachal Pradesh—contd.																															
(Estd. mid-year pop. 599 thousands.)																(Estd. mid-year pop. 599 thousands.)																															
Ahmedabad																Total for w/e 19-II-55																															
Panch Mahals																Total for w/e 12-II-55																															
Surat																																															
Ahmednagar																Madhya Pradesh																															
East Khandesh																"N. R."																															
Nasik																Madras																															
Poona																South Arcot																															
Satara North																Malabar																															
Banaskantha																TOTAL																															
TOTAL																(Estd. mid-year pop. 37,797 thousands.)																															
(Estd. mid-year pop. 38,892 thousands.)																Total for w/e 19-II-55																															
Total for w/e 19-II-55																Total for w/e 12-II-55																															
Total for w/e 12-II-55																7-yearly mean for the week																															
7 yearly mean for the week																Manipur																															
Coorg																TOTAL																															
TOTAL																(Estd. mid-year pop. 606 thousands.)																															
(Estd. mid-year pop. 256 thousands)																Total for w/e 19-II-55																															
Total for w/e 19-II-55																Total for w/e 12-II-55																															
Total for w/e 12-II-55																Orissa																															
7-yearly mean for the week																Cuttack																															
Delhi																Puri																															
TOTAL																Sambalpur																															
(Estd. mid-year pop. 1,744 thousands.)																Keonjhar																															
Total for w/e 19-II-55																Dhenkanal																															
Total for w/e 12-II-55																Bolangir Patna																															
7-yearly mean for the week																TOTAL																															
Himachal Pradesh																(Estd. mid-year pop. 15,026 thousands.)																															
TOTAL																Total for w/e 19-II-55																															
																Total for w/e 12-II-55																															
																7-yearly mean for the week																															

Explanation of symbols used : C.=Cases, D.=Deaths; . = Nil; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 26th November, 1955—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Punjab (I)								Grand Total for States Parts (A) & (C) (excluding, Bhopal, Vindhya Pradesh West Bengal & Madhya Pradesh 188 96 122 30 2 ..																							
Amritsar	1	Corresponding Estd. mid-year pop. 2,48,021 thousands).																							
TOTAL	1	,, Total for w/e 19-11-55 257 121 77 8 2 ..																							
(Estd. mid-year pop. 12,641 thousands.)								,, Total for w/e 12-11-55 285 139 65 21 2 2																							
Total for w/e 19-11-55	2	,, 7-yearly mean for the week 1,087 522 341 80 26 10																							
Total for w/e 12-11-55																								
7-yearly mean for the week	8	5																								
Tripura								STATES PART (B)																							
TOTAL	Hyderabad																							
(Estd. mid-year pop. 694 thousands.)								Raichur 8 4																							
Total for w/e 19-11-55	Warrangal 2																							
Total for w/e 12-11-55	..	1	TOTAL .. 8 4 2																							
Uttar Pradesh								Jammu and Kashmir																							
Dehra Dun	1	"N. R."																							
Etawah	1	Madhya Bharat																							
Jaunpur	2	..	"N. R."																							
Sitapur	3	1	Mysore																							
Bahraich	2	Hassan 4 1																							
TOTAL	5	3	2	Chitaldrug 17 10																							
(Estd. mid-year pop. 66,112 thousands.)								Kolar 6																							
Total for w/e 19-11-55	6	..	2	Bellary 4 4																							
Total for w/e 12-11-55	1	..	2	2	..	TOTAL 21 14 4 1 6 ..																							
7-yearly mean for the week	..	2	2	41	16	26	10	Patiala and East Punjab States Union																							
Vindhya Pradesh								TOTAL																							
"N. R."								Rajasthan																							
West Bengal								Chittor 1																							
"N. R."								Bikaner 16																							
								TOTAL 17																							
								Saurashtra																							
								Gohilwad 4 2																							
								Zalawad 1																							
								TOTAL 5 2																							

Explanation of symbols used : C.—Cases ; D.—Deaths ; ..—Nil ; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 26th November, 1955—concl'd

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Travancore-Cochin							Himachal Pradesh						
TOTAL							w/e 19-11-55						
Grand Total for States Part (B)	29	18	28	3	6	1	TOTAL						
Grand Total for States Parts (A), (B) and (C)	217	114	150	33	8	1							

ARREAR INFORMATION

Bihar										POLIOMYELITIS		
w/e 15-11-55												
Patna	.	.	.	42	15	3	1	(Information based on patients treated in hospitals in important towns)		
Gaya	.	.	.	53	16			
Shahabad	.	.	.	1	Place	Period	Cases
Bhagalpur	.	.	.	3	1	Calcutta City	23-11-1955	1 (Imported from Darbhanga distt.)
Purnea	.	.	.	16	8	2			
TOTAL	.	.	.	115	40	"	1			

Explanation of symbols used: C.=Cases; D.=Deaths; ..=Nil.

NEW DELHI-2 (INDIA);
The 19th December, 1955

K. MITRA,
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

● COMMUNITY DEVELOPMENT PROGRAMME

● GREAT RIVER VALLEY PROJECTS

● SOCIAL WELFARE SCHEMES

● RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

AC. 686

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th November, 1955

Deaths from :—																
Town	Mid-year Popn. Est. (000)												Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
STATES—(Parts A and C)																
"N. R."																
Andhra																
Adoni†																
Anantpur	36	33	47.7	3	1	2	..	10	14.4	1			
Anakapalli	45	53	61.3	2	..	1	..	28	32.4	5			
Bhimavaram	35	27	40.2	2	7	10.4	..			
Chirala	42	22	27.2	3	1	1	..	13	16.1	5			
Chittoor	44	47	55.6	3	..	2	..	21	24.8	4			
Cuddapah	41	54	68.5	4	..	1	..	11	14.0	1			
Eluru	97	36	19.3	3	..	2	2	31	16.6	5			
Gudlavada	35	25	37.2	2	..	2	..	9	13.4	2			
Guntur	143	148	53.8	4	2	8	..	46	16.7	10			
Guntakal	36	23	33.2	1	2	1	..	7	10.11	1			
Kakinada	111	53	24.8	7	..	2	1	22	10.3	..			
Kurnool	67	115	89.2	2	1	3	..	31	24.1	1			
Masulipatnam	86	60	36.3	1	..	1	..	21	12.7	3			
Nandyal	37	36	50.6	3	..	12	16.9	2			
Nellore†																
Proddatur	41	17	21.6	1	7	8.9	..			
Rajahmundry	119	146	20.1	11	..	2	..	38	16.6	5			
Tenali	65	57	45.6	3	3	..	25	20.0	13			
Vijayavada	194	188	50.4	1	2	3	47	12.6	8			
Visakhapatnam	124	103	43.2	8	1	6	..	45	18.9	10			
Vizianagaram	74	60	42.2	9	3	4	..	36	25.3	8			
TOTAL	1,472	1,203	42.5	66	15	46	6	467	16.5	84			
Assam																
"N. R."																
Bhopal																
"N. R."																
Bihar																
"N. R."																
Bombay																
Ahmedabad†																
Ahmednagar	87	77	46.0	4	2	7	..	26	15.5	3			
Amalner	49	26	27.6	3	..	1	..	6	6.3	2			
Bagalkot	36	21	30.3	1	..	2	..	12	17.3	3			
Baroda	237	251	55.1	16	3	21	1	77	16.8	18			
Barshi	45	44	50.8	7	1	1	..	24	27.7	3			
Belgaum	109	204	97.3	1	6	4	1	65	31.0	20			
Bhusawal	61	46	39.2	3	..	2	..	7	5.9	2			
Bijapur	73	70	49.8	2	1	5	..	12	8.5	2			
Broach	66	65	51.2	4	..	2	..	22	17.3	6			
Cambay,†																
Chalisgaon	34	27	41.3	6	1	3	..	14	21.4	1			
Dharwar	75	41	28.4	4	1	..	1	24	17.0	4			
Dhulia	87	39	23.3	3	..	5	..	14	8.4	2			
Gadag-Betegeri	70	40	29.7	8	..	6	1	30	22.3	6			
Godra	40	37	48.1	5	7	9.1	2			
Greater Bombay	3,335	2,048	31.9	..	1	..	1	28	121	..	713	11.1	214			
Hubli	144	78	28.1	1	3	6	1	27	9.7	1			
Jalgaon	77	31	20.9	2	..	4	1	12	8.1	..			
Kalyan	70	42	31.2	1	3	1	..	11	8.2	4			
Kolhapur	155	153	51.3	6	5	11	..	53	17.8	11			
Malegaon	62	47	39.4	10	3	3	..	20	16.8	4			
Miraj	44	32	37.8	1	..	3	..	10	11.8	1			
Nadiad	70	93	68.8	11	..	2	..	22	16.3	..			
Nandurbar	34	17	26.0	1	..	3	..	10	15.3	4			
Nasik	115	89	40.2	9	3	6	2	45	20.3	6			
Navsari	49	58	61.6	6	14	14.6	4			

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; "N. R."—Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th November, 1955—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—<i>contd.</i>													
Pandharpur	44	40	47.3	3	4	7	..	27	31.9	9
Patan	46	64	72.3	3	1	7	1	19	21.5	6
Poona	584	371	33.0	1	4	31	3	171	18.2	44
Sangli	57	25	22.8	2	1	3	..	12	10.9	3
Satara	40	31	40.3	1	2	..	11	14.3	..
Sholapur	293	313	55.5	17	11	52	..	142	25.2	33
Surat	245	216	45.8	..	9	..	4	1	10	1	76	16.1	29
Thana	59	36	31.7	3	..	2	..	9	7.9	6
TOTAL	6,592	4,772	37.6	..	9	..	149	83	333	13	1,744	13.8	453
Delhi State													
Delhi City	1,085	943	45.2	67	10	55	1	212	10.2	66
New Delhi	355	309	45.3	4	1	8	..	91	13.3	25
N.A.C. Civil Station, Delhi	111	123	57.6	2	1	6	..	20	9.4	8
Delhi Cantt.	49	30	31.8	1	..	4	..	11	11.7	1
Delhi-Shahdra	51	71	72.4	2	..	6	..	11	11.2	4
TOTAL	1,651	1,476	46.5	76	12	79	1	345	10.9	104
Madhya Pradesh													
Madras													
Ambur	44	46	54.4	2	..	9	10.6	3
Aruppukottai	54	51	49.1	4	3	1	..	23	22.1	10
Bodinayakanur	39	15	20.0	1	1	6	8.0	2
Cannanore	46	34	38.4	1	4	..	10	11.3	2
Chidambaram	38	31	42.4	1	1	..	10	13.7	1
Coimbatore	227	269	61.6	1	12	10	2	32	18.8	24
Cuddalore	73	45	32.1	1	1	5	..	25	17.8	6
Dindigul	88	57	33.7	1	3	4	..	25	14.8	10
Erode	65	79	63.2	4	1	13	10.4	4
Gobichetty Palayam †													
Guddiyattam †													
Kancheepuram	89	95	59.6	2	20	2	40	23.4	12
Karalkudi	43	36	43.9	1	..	1	..	14	16.9	1
Karur	48	42	45.5	1	..	3	..	10	10.8	2
Kozhikode	173	248	74.5	6	4	8	5	71	21.3	10
Kumbakonam	102	130	66.3	1	1	23	11.7	8
Madras	1,649	1,277	40.3	63	71	129	2	623	19.6	192
Mangalore	133	100	39.1	5	..	17	6.6	2
Mathurai	415	416	32.1	9	7	34	3	161	20.2	39
Meyuram	48	70	75.8	1	..	19	20.6	3
Melapalayam	40	14	18.2	2	2	..	8	10.4	2
Nagapattinam	60	52	45.1	2	1	2	..	18	15.6	7
Ottacamund	46	32	36.2	1	5	..	12	13.6	2
Palani	39	16	21.3	2	3	..	9	12.0	1
Palayamkottai	44	54	63.8	1	4	1	..	14	16.5	6
Palghat	76	71	48.6	2	1	22	15.1	5
Periyakulam	33	31	48.8	1	..	1	..	10	15.8	2
Pollachi	49	55	58.4	2	5	..	18	19.1	7
Pudukottai	49	30	31.8	1	..	2	..	10	10.6	1
Rajapalayam	67	40	31.0	3	..	17	13.2	3
Salem	234	134	29.8	7	3	11	1	53	11.8	4
Srirangam	41	45	57.1	2	1	13	16.5	3
Srivilliputtur	43	49	59.3	4	1	2	1	19	23.0	5

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Death (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th November, 1955—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from—										Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.						
Madras—contd.																
Tanjore	115	95	43.0	1	1	4	..	36	16.3	9			
Tellicherry	42	52	64.4	3	1	2	..	15	18.6	2			
Tiruchirappalli	245	124	26.3	3	5	9	1	67	14.2	11			
Tirunelveli	79	81	53.3	3	8	..	33	21.7	13			
Tiruppur	61	66	56.3	3	2	1	21	17.9	4			
Tiruvannamalai	44	39	46.1	2	3	1	15	17.7	6			
Tuticorin	109	117	55.8	3	14	1	36	17.2	13			
Vaniyambadi	42	33	40.9	1	..	4	1	14	17.3	4			
Vellore	121	126	54.1	5	2	8	1	56	24.1	13			
Villupuram	39	36	48.0	1	..	5	6.7	3			
Virudhnagar	51	86	87.7	6	2	2	..	22	22.4	10			
TOTAL]	5,143	4,519	45.7	123	141	333	26	1,724	17.4	467			
Orissa																
Borhampur	70	80	59.4	2	1	3	..	12	8.9	3			
Cuttack	114	126	57.5	7	1	5	..	40	18.2	5			
Puri	53	18	17.7	10	2	1	..	28	27.5	7			
TOTAL	237	224	49.1	19	4	9	..	80	17.6	15			
Punjab (I)																
Amowla	64	73	59.3	3	2	4	..	11	9.0	6			
Amritsar	335	251	39.0	7	37	2	123	19.1	44			
Batala	61	38	39.5	8	1	1	..	17	14.7	6			
Bhiwani	56	62	57.8	13	2	2	..	19	17.7	8			
Ferozepore	43	30	36.4	3	2	1	..	7	8.5	1			
Hissar	38	42	57.5	8	1	6	..	19	26.1	7			
Hoshiarpur	50	29	30.2	3	..	10	10.4	3			
Jullundur	194	172	46.2	4	4	12	..	28	7.5	6			
Karnal	69	53	40.1	5	..	3	..	11	8.3	3			
Ludhiana	172	211	63.8	14	12	43	13.0	5			
Moga†																
Panipat†																
Pathankot	33	23	36.3	2	1	2	..	6	9.5	1			
Rewari†	36	53	76.8	3	..	1	..	8	15.9	5			
Rohtak	102	80	40.8	3	1	2	..	12	6.1	5			
Simla	49	23	24.1	1	..	2	2.1	..			
Sonapat	33	37	58.3	8	1	1	..	13	20.5	3			
TOTAL	1,335	1,177	45.8	74	22	76	2	329	12.8	103			
Uttar Pradesh																
Agra	367	383	54.3	3	42	..	76	10.8	19			
Allahabad	342	270	41.2	2	1	23	1	67	10.2	16			
Almroha†																
Bahraich	46	21	23.8	1	1	5	5.7	3			
Benaras	375	396	54.9	41	6	12	..	157	21.8	36			
Ballia†																
Banda†																
Bareilly	201	113	29.3	11	..	18	..	35	9.1	10			
Bijnor†																
Budaun	54	41	39.6	5	..	5	..	16	15.4	6			
Basti†																
Bulandshahr†																
Chandausi	40	48	62.6	3	1	2	..	12	15.6	4			
Dehra Dun	141	60	22.2	1	1	9	..	19	7.0	6			
Etawah†																
Faizabad-Ayodhya	85	18	11.0	2	1	1	..	6	3.7	1			
Farrukhabad-Fatehgarh	81	65	41.8	11	6	8	..	41	26.4	17			
Ferozabad	76	50	34.3	2	..	1	..	5	3.4	1			
Ghaziabad	45	127	146.8	8	..	1	1	17	19.7	4			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th November, 1955—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—Contd.														
Ghazipur	36	20	29.0	5	3	2	..	14	20.3	1	
Gorakhpur	137	131	49.7	4	2	22	8.4	6	
Gonda	34	14	21.5	—	—	1	1.5	..	
Hapur	48	60	65.2	9	..	4	..	25	27.1	6	
Hardwar	63	49	40.5	—	6	1	2	..	17	14.1	5	
Hathras	61	79	67.5	10	2	10	1	30	25.6	9	
Jaunpur	56	30	27.9	4	1	3	..	12	11.2	1	
Jhansi	115	134	60.6	25	2	5	..	43	19.5	10	
Kanpur	716	648	47.1	124	17	38	7	334	23.5	86	
Kasganj	34	10	15.3	..	—	..	8	9	13.8	5	
Khurja	40	38	49.5	2	2	11	..	20	26.1	2	
Koli-Allgarh	148	80	28.2	—	6	1	5	..	28	9.9	5	
Lucknow	485	557	49.7	21	2	29	..	98	10.5	31	
Mathura	108	129	62.3	11	2	6	..	31	15.0	5	
Mau-Nath Bhanjant	181	149	42.8	..	—	..	12	2	11	..	38	10.9	9	
Meerut	95	94	51.6	—	6	1	4	..	20	11.0	7	
Mirzapur-Vindhyachal	163	180	57.4	—	6	3	9	..	30	9.6	9	
Moradabad	72	53	38.3	—	9	4	2	..	23	16.6	11	
Muzaffarnagar	45	48	55.6	9	..	5	..	18	20.8	4	
Pilibhit	158	192	63.4	54	1	2	..	64	21.1	17	
Rampur†	64	52	42.4	6	3	7	..	20	16.3	8	
Saharanpur	99	104	54.6	—	9	1	3	1	24	12.6	5	
Sambhal	48	17	18.5	..	—	..	2	3	3.2	2	
Shahjahanpur	99	104	54.6	—	9	1	3	1	24	12.6	5	
Sitapur	48	17	18.5	..	—	..	2	3	3.2	2	
TOTAL	4,859	4,460	47.7	..	1	..	436	70	280	11	1,380	14.8	367	
West Bengal			"N.R."											

STATES—(Part B)

Jammu & Kashmir

"N.R."

Madhya Bharat

"N.R."

Mysore

Bangalore	936	493	27.4	7	54	81	..	236	13.1	..
Mysore	285	176	32.1	19	10	12	2	98	18.0	..
Kolar Gold Fields	170	69	21.1	5	5	..	27	8.3	..
Davangere	67	26	20.1	2	1	9	7.0	..
TOTAL	1,458	764	27.2	28	70	98	2	370	13.2	..

PEPSU

Patiala City	108	104	50.1	19	2	6	..	44	21.2	18
Malerkotla	34	38	58.1	2	4	6.11	2
Bhatinda	38	35	47.9	2	2.7	..
TOTAL	180	177	51.1	21	2	6	..	50	14.4	20

Rajasthan

Alwar	60	75	65.0	2	2	3	..	14	12.1	4
Bharatpur†
Bikaner†
Churu	46	7	7.9	1	..	2	..	4	4.4	..
Ganganagar	45
Tonk†
Kotah	71	16	11.7	7	1	1	..	12	8.8	..
Sikar†
Jaipur†
Udaipur†
Jodhpur	196	63	16.7	18	1	16	..	45	12.2	6
TOTAL	418	161	20.0	28	3	22	..	76	9.5	10

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths); ..—Nil information. "N. R."—Information not received

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th November, 1955—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from —								Total	D.R.*	I. D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Travancore-Cochin														
Alleppey	142	46	16.8	2	3	..	1	32	11.7	3	..
Changanacherry†	69	51	38.4	1	11	8.3
Ernakulam	83	72	45.1	1	11	6.9	3	..
Kottayam†	91	43	24.6	7	2	13	7.4	3	..
Mattanchery	73	61	43.5	1	7	5.0
Nagercoil	75	39	27.0	1	2	16	11.1	5	..
Quilon	213	72	17.6	6	2	27	6.6	5	..
Trichur														
Trivandrum City														
TOTAL	746	384	27.8	18	10	..	1	117	8.2	19	..
Saurashtra														
Bhavnagar	153	64	21.8	23	1	9	..	59	20.1	14	..
Dhoraji	46	34	38.4	1	..	2	..	7	7.9	4	..
Gondal	40	34	44.2	3	3	2	..	15	19.5	5	..
Jamnagar	119	131	57.2	9	1	3	..	21	9.2	2	..
Junagadh	65	45	36.0	10	..	2	..	19	15.2
Morvi	42	26	32.3	3	3	3.7
Porbandar	63	50	41.3	7	2	2	1	25	20.6	12	..
Rajkot	161	111	35.9	12	2	5	..	35	11.3	9	..
Surendranagar	41	18	22.8	1	..	3	3.8
Veraval	45	20	23.3	2	..	2	..	7	8.1	1	..
TOTAL	775	533	35.8	70	9	23	1	194	13.0	47	..
Hyderabad														
Aurangabad†														
Bidar†														
Gulberga	87	5	3.0	4	2	8	..	14	8.4
Hyderabad	1,021	124	6.3	37	7	20	..	122	6.2	7	..
Jalna†														
Kothagudiam	67	29	22.5	1	4	3.1	1	..
Latur	40	2	2.6	1
Nanded†														
Nizamabad	65	11	8.8	3	..	1	..	5	4.0	1	..
Parbhani	39
Raichur†														
Secunderabad City	162	142	45.6	2	3	18	..	46	14.8	10	..
Warangal†														
TOTAL	1,481	313	11.0	47	13	47	..	191	6.7	19	..
ARREAR RETURNS														
w/e 19-11-1955														
Bihar														
Arrah	69	11	8.3	4	2	1	..	8	6.0
Bihar†	67	5	3.4	1	1.6
Betiah	38	12	16.4	4	4	1	..	12	16.4
Bhagalpur	124	24	10.1	3	19	8.0
Chapra	68	54	41.3	1	1	2	1	16	1.2	5	..
Darbhanga	92	33	18.7	1	2	1.1
Dhanbad†														
Dinapur	44	14	16.5	4	..	1	..	12	14.2
Gaya	146	54	19.2	27	4	6	..	48	17.1
Hazaribagh	38	11	15.1	4	5.5
Jamalpur	46	7	7.9	2	2.3
Jamshedpur	241	148	31.9	1	2	1	..	12	2.6	4	..
Katihar	49
Monghyr	79	9	5.9
Muzaffarpur	82	21	13.3	1	2	..	13	8.2
Patna	321	296	48.0	7	..	2	..	37	6.0
Purulia	46	6	6.8	1	2	2.3
Ranchi	126	39	16.1	9	23	9.5	6	..
TOTAL	1,676	744	23.1	63	14	16	1	212	6.6	15	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th November, 1955—*contd.*

Town	Mid-year Popn -Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.	
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madhya Pradesh				w/e 19-11-1955											
Achalpur†															
Akola	101	83	42.7	10	2	3	..	36	18.5	10		
Amravati†															
Bilaspur	40	27	35.1	3	14	18.2	2		
Burhanpur	77	70	47.3	7	..	3	..	26	17.6	..		
Chanda	43	56	67.7	4	..	2	—	16	19.3	7		
Chindwara	30	20	34.7	5	..	2	..	14	24.3	5		
Damoh†															
Gondia	44	46	54.4	—	3	3	3.5	..		
Hinganghat†															
Jabalpur†															
Khandwa	58	28	25.1	1	—	4	3.6	..		
Khamgaon†															
Kamptee†															
Murwa†															
Nagpur†															
Sagar	73	39	27.8	—	8	1	1	..	18	12.8	..		
Rajpur†															
Raigarh	34	24	36.7	1	..	—	1	15	22.9	4		
Wardha†															
Yeotmal	40	28	36.4	1	19	34.7	12		
TOTAL	540	421	40.5	43	3	11	1	165	15.9	40		
Hyderabad				w/e 4-6-1955											
Aurangabad†															
Bidar†															
Gulberga†															
Hyderabad City	1,021	172	8.8	13	..	4	..	88	4.5	9		
Jalna†															
Kothagudiam†															
Latur†															
Nanded†															
Nizambad	65	1	..	1	..	2	1.6	1		
Parbhani†															
Raichur†															
Secunderabad City	162	91	29.5	3	2	7	..	36	11.6	9		
Warangal†															
TOTAL	1,248	263	11.0	17	2	12	..	126	5.3	19		
Hyderabad				w/e 11-6-1955											
Aurangabad†															
Bidar†															
Gulberga†															
Hyderabad City	1,021	46	2.3	16	..	13	..	62	3.2	3		
Jalna†															
Kothagudiam†															
Latur†															
Nanded†															
Nizambad	65	2	..	1	..	4	3.2	1		
Parbhani†															
Raichur†															
Secunderabad City	162	98	31.5	4	1	1	..	14	4.5	6		
Warangal†															
TOTAL	1,248	144	6.0	22	1	15	..	80	3.3	10		
Hyderabad				w/e 18-6-1955											
Aurangabad†															
Bidar†															
Gulberga†															
Hyderabad City	1,021	141	7.2	..	1	..	6	2	5	..	52	2.6	5		
Jalna†															
Kothagudiam†															

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th November, 1955—*contd.*

Towns	Mid-year Popn.-Est (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Hyderabad—contd.													
Latur†													
Nanded†													
Nizambad†													
Parbhani†													
Raichur†													
Secunderabad City	162	106	34.0	2	5	..	23	7.4	3
Warangal†													
TOTAL	1,183	247	10.9	..	1	..	6	4	10	..	75	3.3	8

Hyderabad*w/e 25-6-1955*

Aurangabad†																
Bidar†																
Gulberga†																
Hyderabad City	.	.	.	1,021	123	6.3	11	1	1	..	42	2.1	4
Jalna†																
Kothagudiam†																
Latur†																
Nanded†																
Nizambad	.	.	.	65	2	..	2	..	4	3.2	..
Paerbhani	.	.	.	39	2	2.7
Raichur	.	.	.	62
Secunderabad City	.	.	.	162	97	31.1	1	6	8	1	30	9.6	8
Warangal	.	.	.	151
TOTAL	.	.	.	1,500	222	7.7	14	7	11	1	76	2.6	12

Hyderabad*w/e 2-7-1955*

Aurangabad†																
Bidar†																
Gulberga†																
Hyderabad City	•	•	•	1,021	712	36.3	••	••	••	13	1	1	••	122	6.2	14
Jalna†																
Kothagudiam†																
Latur†																
Nanded†																
Nizambad	•	•	•	65	••	••	••	••	••	2	1	••	••	••	••	••
Parbhani†																
Raichur†																
Secunderabad City			•	162	145	46.5	••	••	••	1	4	5	••	24	7.7	5
Warangal†																
TOTAL	•			1,248	857	35.7	••	••	••	16	6	6	••	146	6.1	19

*w/e 9-7-1955***Hyderabad**

Aurangabad†																	
Bidar†																	
Gulberga†																	
Hyderabad City	.	.	.	1,021	161	8.2	6	3	7	..	52	1.7	10	
Jalna†																	
Kothagudem†																	
Latur†																	
Nanded†																	
Nizambad	.	.	.	65	2	..	2	..	4	3.2	..	
Parbhani†																	
Raichur†																	
Secunderabad City		.	.	162	123	39.5	1	2	10	..	32	10.3	6	
Warangal†																	
TOTAL	.			1,248	284	11.8	9	5	19	..	88	3.7	16	

*In case of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not Available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; D.=Fevers ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; —Nil Information.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 26th November, 1955—concl'd.

Town	Mid-year Popn.-Est. (000)	Death from :—											Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
Hyderabad		w/e 16-7 1955														
Aurangabad†																
Bidar†																
Gulberga†																
Hyderabad City	. . . 1,021	273	13.9	12	4	9	..	134	6.8	16			
Jalna†																
Kothagudiam†																
Latur†																
Nanded†																
Nizambad	. . . 65	5	4.0	1	..	1	..	5	4.0	..			
Parbhani†																
Raichur†																
Secunderabad City	. . . 162	172	55.2	1	3	9	..	32	10.3	8			
Warangal†																
TOTAL		. . . 1,248	450	18.8	14	7	19	..	171	7.1	24		
Hyderabad		w/e 23-7-1955														
Aurangabad†																
Bidar†																
Gulberga†																
Hyderabad City	. . . 1,021	518	26.4	..	1	..	13	3	6	..	62	3.2	7			
Jalna†																
Kothagudiam†																
Latur†																
Nanded		. . . 77	17	11.5	1	..	1	2	1.4	..			
Nizambad	. . . 65	20	2	1	1	..	4			
Parbhani		. . . 39	2	16.6	2	..	2	1.6	..			
Raichur†																
Secunderabad City	. . . 162	160	51.4	2	3	10	..	44	14.1	14			
Warangal†																
TOTAL		. . . 1,364	717	27.3	..	1	..	17	8	19	1	114	4.3	21		
Hyderabad		w/e 30-7-1955														
Aurangabad†																
Bidar†																
Gulberga†																
Hyderabad City	. . . 1,021	252	12.8	11	7	7	1	71	3.6	8			
Jalna†																
Kothagudiam†																
Lathur†																
Nanded		. . . 77	14	9.4	4	..	2	1	12	8.1	5		
Nizambad	. . . 65	37	29.6	1	2	1.6	..			
Parbhani†																
Raichur†																
Secunderabad City	. . . 162	155	49.8	3	2	8	1	35	11.2	8			
Warangal†																
Total		. . . 1,325	458	18.0	19	9	17	3	120	4.7	21		
Hyderabad		w/e 6-8-1955														
Aurangabad†																
Bidar†																
Gulberga	. . . 87	7	4.2	7	2	10	..	19	11.4	..			
Hyderabad City†																
Jalna†																
Kothagudiam†																
Latur†																
Nanded		. . . 77	12	8.1	4	..	2	..	12	8.1	4		
Nizambad	. . . 65	25	20.0	1	1	2	..	4	3.2	..			
Parbhani†																
Raichur†																
Secunderabad City	. . . 162	152	48.8	1	2	6	..	27	8.7	12			
Warangal†																
TOTAL		. . . 391	196	26.1	13	5	20	..	62	8.2	16		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used .—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Death (included in total deaths); ..—Nil Information; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th November, 1955--contd

Town	Mid-year Popn.-Est. (000)	B.	Deaths from :—									Total	D.R*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	D.R.	MD.				
Hyderabad														
w/c 13-8-1955														
Aurangabad†														
Bidar†														
Gulbarga†														
Hyderabad City . . .	1,021	94	4.8	19	6	5	1	163	8.3	16	
Jalna†														
Kothagudiam . . .	67	9	7.0	2	2	1	
Latur														
Nanded . . .	77	15	10.1	..	1	..	2	..	1	..	12	8.1	8	
Nizamabad . . .	65	11	8.8	2	..	2	1.6	..	
Parbhani . . .	39	7	9.3	3	..	4	..	7	9.3	..	
Raichur†														
Secunderabad City . .	162	149	47.8	..	1	..	1	5	6	1	47	15.1	9	
Warangal . . .	151	8	..	6	..	21	7.2	1	
TOTAL . . .	1,582	285	9.4	..	2	..	35	13	24	2	252	8.3	35	

Hyderabad <i>w/e 20-8-1955</i>													
Aurangabad†													
Bidar†													
Gulbarga†													
Hyderabad City†													
Jalna†													
Kothagudiam . . .	67	6	4.7	8	..	1
Latur†													
Nanded . . .	77	11	7.4	7	..	1	7	15	10.1	..
Nizamabad . . .	65	7	5.6	..	1	..	1	2	1.6	..
Parbhani . . .	39	1	..	1	..	2	2.7	..
Raichur†													
Secunderabad City . .	162	171	54.9	1	4	8	1	32	10.3	9
Warangal . . .	151	23	7.9	10	1	3	1	19	6.5	..
TOTAL . . .	561	218	21.7	..	1	..	28	5	14	9	60	6.0	9

Bombay <i>w/e 8-1-55</i>													
Thana	59	19	16.7	2	12	10.6	4
<i>w/e 15-1-55</i>													
Thana	59	40	35.2	3	10	8.8	1
<i>w/e 22-1-55</i>													
Thana	59	25	22.0	1	1	1	..	15	13.2	3
<i>w/e 29-1-55</i>													
Thana	59	15	13.2	10	8.8	1
<i>w/e 5-2-55</i>													
Thana	59	27	23.8	1	1	..	6	5.3	..
<i>w/e 12-2-55</i>													
Thana	59	14	12.3	2	6	5.3	1
<i>w/e 15-2-55</i>													
Thana	59	33	29.1	1	10	8.8	1
<i>w/e 26-2-55</i>													
Thana	59	20	17.6	4	9	7.9	3
<i>w/e 5-3-55</i>													
Thana	59	17	14.9	1	1	4	3.5	1
<i>w/e 12-3-55</i>													
Thana	59	19	16.7	1	..	1	..	7	6.2	1
<i>w/e 19-3-55</i>													
Thana	59	22	19.4	1	9	7.9	3
<i>w/e 26-3-55</i>													
Thana	59	33	29.1	2	14	12.3	3
<i>w/e 2-4-55</i>													
Thana	59	34	29.8	1	..	1	..	12	10.6	1

*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Birth ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D. = Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 26th November, 1955—*concl'd.*

Town						Mid-year Popn.-Est. (000)	Deaths from :—											Total	D.R.*	I.D.
							B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Bombay—Contd																				
Thana	59	28	<i>w/e 9-4-55</i> 24·6	3	5	4·4	3		
Thana	59	14	<i>w/e 16-4-55</i> 12·3	2	1	.	..	24	21·2	4		
Thana	59	31	<i>w/e 23-4-55</i> 27·3	3	1	15	13·2	5		
Thana	59	38	<i>w/e 30-4-55</i> 33·4	8	17	14·9	5		
Thana	59	20	<i>w/e 7-5-55</i> 17·6	3	..	1	..	8	7·1	2		
Thana	59	46	<i>w/e 1-4-55</i> 40·5	3	1	20	17·6	6		
Thana	59	23	<i>w/e 21-5-55</i> 20·3	3	1	16	14·2	3		
Thana	59	26	<i>w/e 28-5-55</i> 22·9	2	..	2	..	11	9·7	2		
Thana	59	43	<i>w/e 4-6-55</i> 37·9	5	19	16·7	6		
Thana	59	48	<i>w/e 11-6-55</i> 24·6	1	..	3	..	12	10·6	4		
Thana	59	13	<i>w/e 18-6-55</i> 11·5	3	2	8	7·1	3		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. =Births; B.R. =Birth Rate; C. =Cholera; S. =Smallpox; P. =Plague; F. =Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 26th November 1955 relate to 189 towns with an estimated population of 26,347 thousands. The total number of towns is 313 and their population is 40,934 thousands. Thus 60% of the total number of towns representing 64% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 20,163 and 7,067 representing birth and death rates of 39.8 and 13.0 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 153 towns with an estimated population of 21,289 thousands. Information about Ajmer, Assam, Bhopal, Bihar, Madhya Pradesh and West Bengal could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 61% of the total number of towns representing 65% of the total population is covered. The

number of births and deaths recorded in these towns were 17,831 and 6,069 representing birth rates and death rates of 43.6 and 14.8 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population

(b) *States (Part B).*—The data here relate to 36 towns with an estimated population of 5,058 thousands. The total number of towns is 61 and their population is 8,362 thousands. Thus 59% of the total number of towns representing 60% of the total population is covered. The number of births and deaths recorded in these towns were 2,332 and 998 representing birth and death rates of 24.0 and 10.3 per thousand of population respectively

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 26-11-1955		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Andhra	42.5	16.5	43.1	17.6	†	†
Bombay	37.6	12.8	38.5	12.9	40.3	16.1
Delhi	46.5	10.9	41.4	8.8	46.5	10.5
Madras	45.7	17.4	45.9	21.0	†	†
Orissa	49.1	17.6	48.2	16.8	43.5	22.3
Punjab (I)	45.8	12.8	38.0	10.5	38.8	12.4
Uttar Pradesh	47.7	14.8	40.9	15.9	41.0	18.1
*India	43.6	14.8	41.1	15.2	40.8	17.2

*6 Part 'A' States and 1 part 'C' State.

†Figures not available.

NEW DELHI-2 (INDIA);

The 19th December, 1955.

101 Registrar General, India.

